



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

SALLY DRESLIN, M.S., R.N.
Executive Deputy Commissioner

LAB ID: 12082

May 14, 2018

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE
SUITE D
MT. PLEASANT, MI 48858

Certificate Expiration Date:
April 01, 2019

Dear Dr. Delia,

Enclosed are certificate(s) of approval issued to your environmental laboratory for the current permit year. The certificate(s) supersede(s) any previously issued one(s) and is(are) in effect through the expiration date listed. Please carefully examine the certificate(s) to insure that the categories, subcategories, analytes, and methods for which your laboratory is approved are correct. In addition, verify that your laboratory's name, address, lead technical director, and identification number are accurate.

Pursuant to NYCRR Subpart 55-2.2, original certificates must be posted conspicuously in the laboratory and copies shall be made available to any client of the laboratory upon request.

Pursuant to NYCRR Subpart 55-2.6, any misrepresentation of the fields of accreditation (category - method - analyte) for which your laboratory is approved may result in denial, suspension, or revocation of your certification. Any use of the Environmental Laboratory Approval Program (ELAP) or National Environmental Laboratory Accreditation Program (NELAP) name, reference to the laboratory's approval status, and/or using the NELAP logo in any catalogs, advertising, business solicitations, proposals, quotations, laboratory analytical reports, or other materials must include the laboratory's ELAP identification number and distinguish between testing for which the laboratory is approved and testing for which the laboratory is not approved.

If you have any questions, please contact ELAP at the New York State Department of Health (NYS DOH), Wadsworth Center, PO Box 509, Albany NY, 12201-0509; by phone at (518) 485-5570; by facsimile at (518) 485-5568; and by email at elap@health.ny.gov.

Sincerely,

Victoria Pretti
Director and QA Officer
Environmental Laboratory Approval Program

**NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER**



Expires 12:01 AM April 01, 2019
Issued May 14, 2018

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858**

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Acrylates

Acetonitrile	EPA TO-17
Acrylonitrile	EPA TO-17
Methyl methacrylate	EPA TO-17

Chlorinated Hydrocarbons

1,2,4-Trichlorobenzene	EPA TO-17
Hexachlorobutadiene	EPA TO-17

Purgeable Aromatics

1,2,4-Trimethylbenzene	EPA TO-17
1,2-Dichlorobenzene	EPA TO-17
1,3,5-Trimethylbenzene	EPA TO-17
1,3-Dichlorobenzene	EPA TO-17
1,4-Dichlorobenzene	EPA TO-17
Benzene	EPA TO-17
Chlorobenzene	EPA TO-17
Ethyl benzene	EPA TO-17
Isopropylbenzene	EPA TO-17
m/p-Xylenes	EPA TO-17
o-Xylene	EPA TO-17
Styrene	EPA TO-17
Toluene	EPA TO-17

Purgeable Halocarbons

1,1,1-Trichloroethane	EPA TO-17
1,1,2,2-Tetrachloroethane	EPA TO-17
1,1,2-Trichloroethane	EPA TO-17

Purgeable Halocarbons

1,1-Dichloroethane	EPA TO-17
1,1-Dichloroethene	EPA TO-17
1,2-Dibromo-3-chloropropane	EPA TO-17
1,2-Dibromoethane	EPA TO-17
1,2-Dichloroethane	EPA TO-17
1,2-Dichloropropane	EPA TO-17
Bromoform	EPA TO-17
Carbon tetrachloride	EPA TO-17
Chloroform	EPA TO-17
cis-1,2-Dichloroethene	EPA TO-17
cis-1,3-Dichloropropene	EPA TO-17
Methylene chloride	EPA TO-17
Tetrachloroethene	EPA TO-17
trans-1,3-Dichloropropene	EPA TO-17
Trichloroethene	EPA TO-17

Volatile Organics

1,3-Butadiene	EPA TO-17
1,4-Dioxane	EPA TO-17
2,2,4-Trimethylpentane	EPA TO-17
2-Butanone (Methyl ethyl ketone)	EPA TO-17
4-Methyl-2-Pentanone	EPA TO-17
Acetaldehyde	EPA TO-17
Acetone	EPA TO-17
Carbon Disulfide	EPA TO-17
Hexane	EPA TO-17

Serial No.: 58336

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2019
Issued May 14, 2018

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2003) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Volatile Organics

Methyl tert-butyl ether

EPA TO-17



Serial No.: 58336

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

