



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

LISA J. PINO, M.A., J.D.
Executive Deputy Commissioner

LAB ID: 12082

April 01, 2021

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE
SUITE D
MT. PLEASANT, MI 48858

Certificate Expiration Date:
April 01, 2022

Dear Dr. Delia,

Enclosed are certificate(s) of approval issued to your environmental laboratory for the current permit year. The certificate(s) supersede(s) any previously issued one(s) and is(are) in effect through the expiration date listed. Please carefully examine the certificate(s) to insure that the categories, subcategories, analytes, and methods for which your laboratory is approved are correct. In addition, verify that your laboratory's name, address, lead technical director, and identification number are accurate.

Pursuant to NYCRR Subpart 55-2.2, original certificates must be posted conspicuously in the laboratory and copies shall be made available to any client of the laboratory upon request.

Pursuant to NYCRR Subpart 55-2.6, any misrepresentation of the fields of accreditation (category - method - analyte) for which your laboratory is approved may result in denial, suspension, or revocation of your certification. Any use of the Environmental Laboratory Approval Program (ELAP) or National Environmental Laboratory Accreditation Program (NELAP) name, reference to the laboratory's approval status, and/or using the NELAP logo in any catalogs, advertising, business solicitations, proposals, quotations, laboratory analytical reports, or other materials must include the laboratory's ELAP identification number and distinguish between testing for which the laboratory is approved and testing for which the laboratory is not approved.

If you have any questions, please contact us at the Environmental Laboratory Approval Program, Wadsworth Center, New York State Department of Health, Empire State Plaza, Albany NY, 12237; by phone at (518) 485-5570; by facsimile at (518) 485-5568; and by email at elap@health.ny.gov.

Sincerely,

Victoria Pretti
Director and QA Officer
Environmental Laboratory Approval Program

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Acrylates

Acetonitrile EPA TO-17
Acrylonitrile EPA TO-17
Methyl methacrylate EPA TO-17

Chlorinated Hydrocarbons

1,2,4-Trichlorobenzene EPA TO-17
Hexachlorobutadiene EPA TO-17

Polynuclear Aromatics

Naphthalene EPA TO-17

Purgeable Aromatics

1,2,3-Trichlorobenzene EPA TO-17
1,2,4-Trimethylbenzene EPA TO-17
1,2-Dichlorobenzene EPA TO-17
1,3,5-Trimethylbenzene EPA TO-17
1,3-Dichlorobenzene EPA TO-17
1,4-Dichlorobenzene EPA TO-17
2-Chlorotoluene EPA TO-17
4-Chlorotoluene EPA TO-17
Benzene EPA TO-17
Bromobenzene EPA TO-17
Chlorobenzene EPA TO-17
Ethyl benzene EPA TO-17
Isopropylbenzene EPA TO-17
m/p-Xylenes EPA TO-17
n-Butylbenzene EPA TO-17

Purgeable Aromatics

n-Propylbenzene EPA TO-17
o-Xylene EPA TO-17
p-Isopropyltoluene (P-Cymene) EPA TO-17
sec-Butylbenzene EPA TO-17
Styrene EPA TO-17
tert-Butylbenzene EPA TO-17
Toluene EPA TO-17

Purgeable Halocarbons

1,1,1,2-Tetrachloroethane EPA TO-17
1,1,1-Trichloroethane EPA TO-17
1,1,2,2-Tetrachloroethane EPA TO-17
1,1,2-Trichloro-1,2,2-Trifluoroethane EPA TO-17
1,1,2-Trichloroethane EPA TO-17
1,1-Dichloroethane EPA TO-17
1,1-Dichloroethene EPA TO-17
1,1-Dichloropropene EPA TO-17
1,2,3-Trichloropropane EPA TO-17
1,2-Dibromo-3-chloropropane EPA TO-17
1,2-Dibromoethane EPA TO-17
1,2-Dichloroethane EPA TO-17
1,2-Dichloropropane EPA TO-17
1,3-Dichloropropane EPA TO-17
2,2-Dichloropropane EPA TO-17
3-Chloropropene (Allyl chloride) EPA TO-17
Bromochloromethane EPA TO-17

NEW YORK
STATE OF
OPPORTUNITY

Department
of Health

Serial No.: 63352

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2022
Issued April 01, 2021

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. ALICE DELIA
ENTHALPY ANALYTICAL, LLC
2625 DENISON DRIVE SUITE D
MT. PLEASANT, MI 48858

NY Lab Id No: 12082

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES AIR AND EMISSIONS
All approved analytes are listed below:*

Purgeable Halocarbons

Bromodichloromethane	EPA TO-17
Bromoform	EPA TO-17
Carbon tetrachloride	EPA TO-17
Chloroform	EPA TO-17
cis-1,2-Dichloroethene	EPA TO-17
cis-1,3-Dichloropropene	EPA TO-17
Dibromochloromethane	EPA TO-17
Methylene chloride	EPA TO-17
Tetrachloroethene	EPA TO-17
trans-1,2-Dichloroethene	EPA TO-17
trans-1,3-Dichloropropene	EPA TO-17
Trichloroethene	EPA TO-17

Volatile Organics

1,3-Butadiene	EPA TO-17
1,4-Dioxane	EPA TO-17
2,2,4-Trimethylpentane	EPA TO-17
4-Methyl-2-Pentanone	EPA TO-17
Acetone	EPA TO-17
Carbon Disulfide	EPA TO-17
Cyclohexane	EPA TO-17
Hexane	EPA TO-17
Isopropanol	EPA TO-17
Methyl tert-butyl ether	EPA TO-17
Nitrobenzene	EPA TO-17

NEW YORK
STATE OF
OPPORTUNITY

Department
of Health

Serial No.: 63352

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

