


**DIVISION OF WATER RESOURCES  
LABORATORY CERTIFICATION BRANCH**

*In accordance with the provisions of N.C.G.S. 143-215.3 (a) (1), 143-215.3 (a)(10) and NCAC 2H.0800:*



**2024**

**Enthalpy Analytical LLC**


*Is hereby certified to perform environmental analysis as listed on the Laboratory's Certified Parameter List and report monitoring data to DEQ for compliance with NPDES effluent, surface water, groundwater, soil and pretreatment regulations.*

*By reference 15A NCAC 2H .0800 is made a part of this certificate.*

*This certificate does not guarantee validity of data generated, but indicates the methodology, equipment, quality control procedures, records, and proficiency of the laboratory have been examined and found to be acceptable.*

*This certificate shall be valid until 12/31/2024*

Certificate No. 495

  
Todd Crawford

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Enthalpy Analytical LLC  
Address: 1941 Reymet Road  
Richmond, VA 23237-

Certificate Number: 495  
Effective Date: 1/1/2024  
Expiration Date: 12/31/2024  
Date of Last Amendment: 3/8/2024

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

#### INORGANIC

##### ALKALINITY

SM 2320 B-2011 (Aqueous)

##### BACTERIA - COLIFORM FECAL

IDEXX Colilert @18 (MPN) (Aqueous)

##### BOD

SM 5210 B-2016 (Aqueous)

##### BROMIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Aqueous)

##### CBOD

SM 5210 B-2016 (Aqueous)

##### CHLORIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Aqueous)

SW-846 9056 A (Non-Aqueous)

##### COD

SM 5220 D-2011 (Aqueous)

##### CONDUCTIVITY

SM 2510 B-2011 (Aqueous)

##### CYANIDE

Lachat 10-204-00-1-X, Rev. 2.2, 2005 (SM 4500 CN E -2016 Automated) (Total) (Aqueous)

SW-846 9012 B (Total) (Aqueous)

SW-846 9012 B (Total) (Non-Aqueous)

##### FLASH POINT

SW-846 1010 B (D93-80) (Aqueous)

##### FLUORIDE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Non-Aqueous)

##### HARDNESS TOTAL - METALS

SM 2340 B-2011 (Ca EPA 200.7, Rev. 4.4, 1994 + Mg EPA 200.7, Rev. 4.4, 1994) (Aqueous)

SM 2340 B-2011 (Ca SM 3120B-2011 + Mg SM 3120B-2011) (Aqueous)

##### INORGANIC PHENOLS

EPA 420.1, Rev. 1978 (Aqueous)

##### NITROGEN, AMMONIA

EPA 350.1, Rev. 2.0, 1993 (Aqueous)

##### NITROGEN, NITRATE

SM 4500 NO<sub>3</sub><sup>-</sup> F-2016 (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Non-Aqueous)

##### NITROGEN, NITRITE

SM 4500-NO<sub>2</sub><sup>-</sup> B-2011 (Automated) (Aqueous)

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Aqueous)

SW-846 9056 A (Non-Aqueous)

##### NITROGEN, NO<sub>3</sub> + NO<sub>2</sub>

SM 4500 NO<sub>3</sub><sup>-</sup> F-2016 (Aqueous)

##### NITROGEN, TOTAL KJELDAHL

EPA 351.2, Rev. 2.0, 1993 (Aqueous)

##### OIL & GREASE

EPA 1664 Rev. B (Aqueous)

##### ORGANIC CARBON, TOTAL

SM 5310 C-2014 (Aqueous)

SW-846 9060 A (Aqueous)

##### PAINT FILTER LIQUIDS

SW-846 9095B

##### pH

SW-846 9040 C (Aqueous)

SW-846 9045 D (Non-Aqueous)

##### PHOSPHATE, ORTHO

SM 4500 P E-2011 (Aqueous)

##### PHOSPHORUS, TOTAL

SM 4500 P E-2011 (Aqueous)

##### RESIDUE, DISSOLVED 180 C

SM 2540 C-2015 (Aqueous)

##### RESIDUE, SETTLEABLE

SM 2540 F-2015 (Aqueous)

##### RESIDUE, SUSPENDED

This certification requires maintenance of an acceptable quality assurance program, use of approved methodology, and satisfactory performance on evaluation samples. Laboratories are subject to civil penalties and/or decertification for infractions as set forth in 15A NCAC 2H.0807.

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Enthalpy Analytical LLC  
Address: 1941 Reymet Road  
Richmond, VA 23237-

Certificate Number: 495  
Effective Date: 1/1/2024  
Expiration Date: 12/31/2024  
Date of Last Amendment: 3/8/2024

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SM 2540 D-2015 (Aqueous)

#### RESIDUE, TOTAL

SM 2540 B-2015 (Aqueous)

SM 2540 G-2015 (Non-Aqueous)

#### RESIDUE, VOLATILE

SM 2540 G-2015 (Non-Aqueous)

#### SILICA - METALS

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

#### SULFATE

EPA 300.0, Rev. 2.1, 1993 (Aqueous)

SW-846 9056 A (Aqueous)

SW-846 9056 A (Non-Aqueous)

#### SULFIDE

SM 4500 S<sup>2-</sup> D-2011 (Aqueous)

SM 4500 S<sup>2-</sup> F-2011 (Aqueous)

#### TURBIDITY

SM 2130 B-2011 (Aqueous)

#### METAL

##### ALUMINUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

##### ANTIMONY

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

##### ARSENIC

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

##### BARIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

##### BERYLLIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

##### BORON

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

##### CADMIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)

EPA 200.8, Rev. 5.4, 1994 (Aqueous)

SW-846 6020 B (Aqueous)

SW-846 6020 B (Non-Aqueous)

##### CALCIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)

SW-846 6010 D (Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Enthalpy Analytical LLC  
Address: 1941 Reymet Road  
Richmond, VA 23237-

Certificate Number: 495  
Effective Date: 1/1/2024  
Expiration Date: 12/31/2024  
Date of Last Amendment: 3/8/2024

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### CHROMIUM HEXAVALENT

SM 3500 Cr B-2011 (Aqueous)  
SW-846 7196 A (Aqueous)  
SW-846 7196 A (Non-Aqueous)  
EPA 218.6, Rev. 3.3, 1994 (Aqueous)  
SW-846 7199 (Aqueous)  
SW-846 7199 (Non-Aqueous)

#### CHROMIUM TOTAL

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### COBALT

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### COPPER

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### IRON

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### LEAD

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### LITHIUM

SW-846 6010 D (Aqueous)  
SW-846 6020 B (Aqueous)

#### MAGNESIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### MANGANESE

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### MERCURY

EPA 245.1, Rev. 3.0, 1994 (Aqueous)  
SW-846 7470 A (Aqueous)  
SW-846 7471 B (Non-Aqueous)  
SW-846 6020 B (Aqueous)

#### MOLYBDENUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Enthalpy Analytical LLC  
Address: 1941 Reymet Road  
Richmond, VA 23237-

Certificate Number: 495  
Effective Date: 1/1/2024  
Expiration Date: 12/31/2024  
Date of Last Amendment: 3/8/2024

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### NICKEL

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### POTASSIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### SELENIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### SILVER

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### SODIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)

SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### STRONTIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
SW-846 6020 B (Aqueous)

#### THALLIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

#### TIN

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### TITANIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)

#### VANADIUM

EPA 200.7, Rev. 4.4, 1994 (Aqueous)  
SW-846 6010 D (Aqueous)  
SW-846 6010 D (Non-Aqueous)  
EPA 200.8, Rev. 5.4, 1994 (Aqueous)  
SW-846 6020 B (Aqueous)  
SW-846 6020 B (Non-Aqueous)

# North Carolina Wastewater/Groundwater Laboratory Certification

## Certified Parameters Listing

Lab Name: Enthalpy Analytical LLC  
Address: 1941 Reymet Road  
Richmond, VA 23237-

Certificate Number: 495  
Effective Date: 1/1/2024  
Expiration Date: 12/31/2024  
Date of Last Amendment: 3/8/2024

The above named laboratory, having duly met the requirements of 15A NCAC 2H.0800, is hereby certified for the measurement of the parameters listed below.

### CERTIFIED PARAMETERS

ZINC	SM 6200 B-2011 (Aqueous)
EPA 200.7, Rev. 4.4, 1994 (Aqueous)	SW-846 8260 D (Aqueous)
SW-846 6010 D (Aqueous)	SW-846 8260 D (Non-Aqueous)
SW-846 6010 D (Non-Aqueous)	TOTAL ORGANIC HALIDES
EPA 200.8, Rev. 5.4, 1994 (Aqueous)	SW-846 9020 B (Aqueous)
SW-846 6020 B (Aqueous)	TPH DIESEL RANGE, ORGANICS
SW-846 6020 B (Non-Aqueous)	SW-846 8015 C (Aqueous)
<b>ORGANIC</b>	SW-846 8015 C (Non-Aqueous)
1,2-DIBROMOETHANE (EDB)	TPH GASOLINE RANGE, ORGANICS
SW-846 8011 (Includes DBCP) (Aqueous)	SW-846 8015 C (Aqueous)
BASE NEUTRAL/ACID, ORGANICS	SW-846 8015 C (Non-Aqueous)
EPA 625.1, Dec 2016 (Aqueous)	VOLATILE PETROLEUM HYDROCARBONS
SW-846 8270 E (Aqueous)	MADEP, Feb 2018, Rev. 2.1 (Aqueous)
SW-846 8270 E (Non-Aqueous)	MADEP, Feb 2018, Rev. 2.1 (Non-Aqueous)
CHLORINATED ACID HERBICIDES	
SW-846 8151 A (Aqueous)	
SW-846 8151 A (Non-Aqueous)	
EXTRACTABLE PETROLEUM HYDROCARBONS	
MADEP, December 2019, Rev. 2.1 (Aqueous)	
MADEP, December 2019, Rev. 2.1 (Non-Aqueous)	
PESTICIDES, ORGANOCHLORINE	
EPA 608.3, Dec 2016 (Aqueous)	
SW-846 8081 B (Aqueous)	
SW-846 8081 B (Non-Aqueous)	
PESTICIDES, ORGANOPHOSPHORUS	
SW-846 8141 B (Aqueous)	
SW-846 8141 B (Non-Aqueous)	
POLYCHLORINATED BIPHENYLS (PCBs)	
EPA 608.3, Dec 2016 (Aqueous)	
SW-846 8082 A (Aqueous)	
SW-846 8082 A (Non-Aqueous)	
SW-846 8082 A (Oil)	
PURGEABLE, ORGANICS	
EPA 624.1, Dec 2016 (Aqueous)	

This certification requires maintenance of an acceptable quality assurance program, use of approved methodology, and satisfactory performance on evaluation samples. Laboratories are subject to civil penalties and/or decertification for infractions as set forth in 15A NCAC 2H.0807.