

*State of New Jersey*  
*Department of Environmental Protection*  
*Certifies That*  
**ENTHALPY ANALYTICAL LLC**  
Laboratory Certification ID # CA003


*is hereby approved as a*  
**Nationally Accredited Environmental Laboratory**  
*to perform the analyses as indicated on the Annual Certified Parameter List*  
*which must accompany this certificate to be valid*


*having duly met the requirements of the*  
**Regulations Governing the Certification of**  
**Laboratories and Environmental Measurements N.J.A.C. 7:18 et. seq.**  
*and*  
*having been found compliant with the 2016 TNI Standard approved by the*  
**The NELAC Institute**

Expires June 30, 2025



NJDEP is a NELAP Recognized Accreditation Body

  
Michele M. Potter  
Manager





## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001

1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

### Category: DW09 --Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code       | Parameter                                           | Technique                         | Approved Methods | Primary State |
|-----------|----------------------------|------------|-----------------------------------------------------|-----------------------------------|------------------|---------------|
| Certified | Yes                        | DW09.30850 | N-ethylperfluorooctanesulfonamidoacetic acid        | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.30900 | N-methylperfluorooctanesulfonamidoacetic acid       | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.30950 | Perfluorobutanesulfonic acid                        | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31000 | Perfluorodecanoic acid                              | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31050 | Perfluorododecanoic acid                            | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31100 | Perfluoroheptanoic acid                             | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31200 | Perfluorohexanoic acid                              | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31250 | Perfluorononanoic acid                              | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31300 | Perfluorooctanesulfonic acid (PFOS)                 | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31350 | Perfluorooctanoic acid (PFOA)                       | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31400 | Perfluorotetradecanoic acid                         | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31450 | Perfluorotridecanoic acid                           | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31500 | Perfluoroundecanoic acid                            | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31550 | Perfluorohexanesulfonic acid                        | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31600 | Hexafluoropropylene oxide dimer acid                | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31650 | 11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31700 | 9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid  | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |
| Certified | Yes                        | DW09.31750 | 4,8-dioxa-3H-perfluorononanoic acid                 | LC MS/MS, Electrospray Ionization | EPA 537.1        | OR            |

### Category: NPW11--Organic Parameters - Chromatography/MS

| Status | Eligible to Report NJ Data | Code | Parameter | Technique | Approved Methods | Primary State |
|--------|----------------------------|------|-----------|-----------|------------------|---------------|
|--------|----------------------------|------|-----------|-----------|------------------|---------------|

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** NPW11—Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                        | Technique                             | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------|---------------------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.00300 | HpCDD (1,2,3,4,6,7,8-)           | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00350 | HpCDF (1,2,3,4,6,7,8-)           | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00400 | HpCDF (1,2,3,4,7,8,9-)           | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00450 | HxCDD (1,2,3,4,7,8-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00500 | HxCDD (1,2,3,6,7,8-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00550 | HxCDD (1,2,3,7,8,9-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00600 | HxCDF (1,2,3,4,7,8-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00650 | HxCDF (1,2,3,6,7,8-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00700 | HxCDF (1,2,3,7,8,9-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00750 | HxCDF (2,3,4,6,7,8-)             | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00800 | OCDD (1,2,3,4,6,7,8,9-)          | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00850 | OCDF (1,2,3,4,6,7,8,9-)          | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00900 | PeCDD (1,2,3,7,8-)               | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.00950 | PeCDF (1,2,3,7,8-)               | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.01000 | PeCDF (2,3,4,7,8-)               | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.01050 | TCDD (2,3,7,8-)                  | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.01100 | TCDF (2,3,7,8-)                  | GC/Hi-Res MS, Selected Ion Monitoring | EPA 1613B        | OR            |
| Certified | Yes                        | NPW11.12850 | Chlorobiphenyl (2-) (PCB 1)      | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.12900 | Chlorobiphenyl (3-) (PCB 2)      | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.12950 | Chlorobiphenyl (4-) (PCB 3)      | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13000 | Dichlorobiphenyl (2,2'-) (PCB 4) | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13050 | Dichlorobiphenyl (2,3-) (PCB 5)  | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13100 | Dichlorobiphenyl (2,3'-) (PCB 6) | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13150 | Dichlorobiphenyl (2,4-) (PCB 7)  | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13200 | Dichlorobiphenyl (2,4'-) (PCB 8) | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13250 | Dichlorobiphenyl (2,5-) (PCB 9)  | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13300 | Dichlorobiphenyl (2,6-) (PCB 10) | Extraction, SIM, GC/MS                | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001

1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                             | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|---------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.13350 | Dichlorobiphenyl (3,3'-) (PCB 11)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13400 | Dichlorobiphenyl (3,4-) (PCB 12)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13450 | Dichlorobiphenyl (3,4'-) (PCB 13)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13500 | Dichlorobiphenyl (3,5-) (PCB 14)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13550 | Dichlorobiphenyl (4,4'-) (PCB 15)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13600 | Trichlorobiphenyl (2,2',3-) (PCB 16)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13650 | Trichlorobiphenyl (2,2',4-) (PCB 17)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13700 | Trichlorobiphenyl (2,2',5-) (PCB 18)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13750 | Trichlorobiphenyl (2,2',6-) (PCB 19)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13800 | Trichlorobiphenyl (2,3,3'-) (PCB 20)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13850 | Trichlorobiphenyl (2,3,4-) (PCB 21)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13900 | Trichlorobiphenyl (2,3,4'-) (PCB 22)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.13950 | Trichlorobiphenyl (2,3,5-) (PCB 23)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14000 | Trichlorobiphenyl (2,3,6-) (PCB 24)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14050 | Trichlorobiphenyl (2,3',4-) (PCB 25)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14100 | Trichlorobiphenyl (2,3',5-) (PCB 26)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14150 | Trichlorobiphenyl (2,3',6-) (PCB 27)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14200 | Trichlorobiphenyl (2,4,4'-) (PCB 28)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14250 | Trichlorobiphenyl (2,4,5-) (PCB 29)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14300 | Trichlorobiphenyl (2,4,6-) (PCB 30)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14350 | Trichlorobiphenyl (2,4',5-) (PCB 31)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14400 | Trichlorobiphenyl (2,4',6-) (PCB 32)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14450 | Trichlorobiphenyl (2,3',4'-) (PCB 33) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14500 | Trichlorobiphenyl (2,3',5'-) (PCB 34) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14550 | Trichlorobiphenyl (3,3',4-) (PCB 35)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14600 | Trichlorobiphenyl (3,3',5-) (PCB 36)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14650 | Trichlorobiphenyl (3,4,4'-) (PCB 37)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



## Annual Certified Parameter List and Current Status

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC   Laboratory Number: CA003   Activity ID: NLC 240001**  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category: NPW11—Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                 | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.14700 | Trichlorobiphenyl (3,4,5-) (PCB 38)       | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14750 | Trichlorobiphenyl (3,4',5-) (PCB 39)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14800 | Tetrachlorobiphenyl (2,2',3,3'-) (PCB 40) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14850 | Tetrachlorobiphenyl (2,2',3,4-) (PCB 41)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14900 | Tetrachlorobiphenyl (2,2',3,4'-) (PCB 42) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.14950 | Tetrachlorobiphenyl (2,2',3,5-) (PCB 43)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15000 | Tetrachlorobiphenyl (2,2',3,5'-) (PCB 44) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15050 | Tetrachlorobiphenyl (2,2',3,6-) (PCB 45)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15100 | Tetrachlorobiphenyl (2,2',3,6'-) (PCB 46) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15150 | Tetrachlorobiphenyl (2,2',4,4'-) (PCB 47) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15200 | Tetrachlorobiphenyl (2,2',4,5-) (PCB 48)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15250 | Tetrachlorobiphenyl (2,2',4,5'-) (PCB 49) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15300 | Tetrachlorobiphenyl (2,2',4,6-) (PCB 50)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15350 | Tetrachlorobiphenyl (2,2',4,6'-) (PCB 51) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15400 | Tetrachlorobiphenyl (2,2',5,5'-) (PCB 52) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15450 | Tetrachlorobiphenyl (2,2',5,6'-) (PCB 53) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15500 | Tetrachlorobiphenyl (2,2',6,6'-) (PCB 54) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15550 | Tetrachlorobiphenyl (2,3,3',4-) (PCB 55)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15600 | Tetrachlorobiphenyl (2,3,3',4'-) (PCB 56) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15650 | Tetrachlorobiphenyl (2,3,3',5-) (PCB 57)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15700 | Tetrachlorobiphenyl (2,3,3',5'-) (PCB 58) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15750 | Tetrachlorobiphenyl (2,3,3',6-) (PCB 59)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15800 | Tetrachlorobiphenyl (2,3,4,4'-) (PCB 60)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15850 | Tetrachlorobiphenyl (2,3,4,5-) (PCB 61)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15900 | Tetrachlorobiphenyl (2,3,4,6-) (PCB 62)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.15950 | Tetrachlorobiphenyl (2,3,4',5-) (PCB 63)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16000 | Tetrachlorobiphenyl (2,3,4',6-) (PCB 64)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                   | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|---------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.16050 | Tetrachlorobiphenyl (2,3,5,6-) (PCB 65)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16100 | Tetrachlorobiphenyl (2,3',4,4'-) (PCB 66)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16150 | Tetrachlorobiphenyl (2,3',4,5-) (PCB 67)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16200 | Tetrachlorobiphenyl (2,3',4,5'-) (PCB 68)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16250 | Tetrachlorobiphenyl (2,3',4,6-) (PCB 69)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16300 | Tetrachlorobiphenyl (2,3',4',5-) (PCB 70)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16350 | Tetrachlorobiphenyl (2,3',4',6-) (PCB 71)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16400 | Tetrachlorobiphenyl (2,3',5,5'-) (PCB 72)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16450 | Tetrachlorobiphenyl (2,3',5',6-) (PCB 73)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16500 | Tetrachlorobiphenyl (2,4,4',5-) (PCB 74)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16550 | Tetrachlorobiphenyl (2,4,4',6-) (PCB 75)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16600 | Tetrachlorobiphenyl (2,3',4',5'-) (PCB 76)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16650 | Tetrachlorobiphenyl (3,3',4,4'-) (PCB 77)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16700 | Tetrachlorobiphenyl (3,3',4,5-) (PCB 78)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16750 | Tetrachlorobiphenyl (3,3',4,5'-) (PCB 79)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16800 | Tetrachlorobiphenyl (3,3',5,5'-) (PCB 80)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16850 | Tetrachlorobiphenyl (3,4,4',5-) (PCB 81)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16900 | Pentachlorobiphenyl (2,2',3,3',4-) (PCB 82) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.16950 | Pentachlorobiphenyl (2,2',3,3',5-) (PCB 83) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17000 | Pentachlorobiphenyl (2,2',3,3',6-) (PCB 84) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17050 | Pentachlorobiphenyl (2,2',3,4,4'-) (PCB 85) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17100 | Pentachlorobiphenyl (2,2',3,4,5-) (PCB 86)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17150 | Pentachlorobiphenyl (2,2',3,4,5'-) (PCB 87) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17200 | Pentachlorobiphenyl (2,2',3,4,6-) (PCB 88)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC    Laboratory Number: CA003    Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762**

**Category: NPW11--Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                    | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.17250 | Pentachlorobiphenyl (2,2',3,4,6'-) (PCB 89)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17300 | Pentachlorobiphenyl (2,2',3,4',5-) (PCB 90)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17350 | Pentachlorobiphenyl (2,2',3,4',6-) (PCB 91)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17400 | Pentachlorobiphenyl (2,2',3,5,5'-) (PCB 92)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17450 | Pentachlorobiphenyl (2,2',3,5,6-) (PCB 93)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17500 | Pentachlorobiphenyl (2,2',3,5,6'-) (PCB 94)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17550 | Pentachlorobiphenyl (2,2',3,5',6-) (PCB 95)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17600 | Pentachlorobiphenyl (2,2',3,6,6'-) (PCB 96)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17650 | Pentachlorobiphenyl (2,2',3,4',5'-) (PCB 97) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17700 | Pentachlorobiphenyl (2,2',3,4',6'-) (PCB 98) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17750 | Pentachlorobiphenyl (2,2',4,4',5-) (PCB 99)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17800 | Pentachlorobiphenyl (2,2',4,4',6-) (PCB 100) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17850 | Pentachlorobiphenyl (2,2',4,5,5'-) (PCB 101) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17900 | Pentachlorobiphenyl (2,2',4,5,6'-) (PCB 102) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.17950 | Pentachlorobiphenyl (2,2',4,5',6-) (PCB 103) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18000 | Pentachlorobiphenyl (2,2',4,6,6'-) (PCB 104) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18050 | Pentachlorobiphenyl (2,3,3',4,4'-) (PCB 105) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                     | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.18100 | Pentachlorobiphenyl (2,3,3',4,5-) (PCB 106)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18150 | Pentachlorobiphenyl (2,3,3',4',5-) (PCB 107)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18200 | Pentachlorobiphenyl (2,3,3',4,5'-) (PCB 108)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18250 | Pentachlorobiphenyl (2,3,3',4,6-) (PCB 109)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18300 | Pentachlorobiphenyl (2,3,3',4',6-) (PCB 110)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18350 | Pentachlorobiphenyl (2,3,3',5,5'-) (PCB 111)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18400 | Pentachlorobiphenyl (2,3,3',5,6-) (PCB 112)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18450 | Pentachlorobiphenyl (2,3,3',5',6-) (PCB 113)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18500 | Pentachlorobiphenyl (2,3,4,4',5-) (PCB 114)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18550 | Pentachlorobiphenyl (2,3,4,4',6-) (PCB 115)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18600 | Pentachlorobiphenyl (2,3,4,5,6-) (PCB 116)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18650 | Pentachlorobiphenyl (2,3,4',5,6-) (PCB 117)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18700 | Pentachlorobiphenyl (2,3',4,4',5-) (PCB 118)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18750 | Pentachlorobiphenyl (2,3',4,4',6-) (PCB 119)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18800 | Pentachlorobiphenyl (2,3',4,5,5'-) (PCB 120)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18850 | Pentachlorobiphenyl (2,3',4,5',6-) (PCB 121)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.18900 | Pentachlorobiphenyl (2,3,3',4',5'-) (PCB 122) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |





## Annual Certified Parameter List and Current Status

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category:** NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                      | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.18950 | Pentachlorobiphenyl (2,3',4,4',5'-) (PCB 123)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19000 | Pentachlorobiphenyl (2,3',4',5,5'-) (PCB 124)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19050 | Pentachlorobiphenyl (2,3',4',5',6-) (PCB 125)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19100 | Pentachlorobiphenyl (3,3',4,4',5-) (PCB 126)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19150 | Pentachlorobiphenyl (3,3',4,5,5'-) (PCB 127)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19200 | Hexachlorobiphenyl (2,2',3,3',4,4'-) (PCB 128) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19250 | Hexachlorobiphenyl (2,2',3,3',4,5-) (PCB 129)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19300 | Hexachlorobiphenyl (2,2',3,3',4,5'-) (PCB 130) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19350 | Hexachlorobiphenyl (2,2',3,3',4,6-) (PCB 131)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19400 | Hexachlorobiphenyl (2,2',3,3',4,6'-) (PCB 132) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19450 | Hexachlorobiphenyl (2,2',3,3',5,5'-) (PCB 133) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19500 | Hexachlorobiphenyl (2,2',3,3',5,6-) (PCB 134)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19550 | Hexachlorobiphenyl (2,2',3,3',5,6'-) (PCB 135) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19600 | Hexachlorobiphenyl (2,2',3,3',6,6'-) (PCB 136) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19650 | Hexachlorobiphenyl (2,2',3,4,4',5-) (PCB 137)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19700 | Hexachlorobiphenyl (2,2',3,4,4',5'-) (PCB 138) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19750 | Hexachlorobiphenyl (2,2',3,4,4',6-) (PCB 139)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                      | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.19800 | Hexachlorobiphenyl (2,2',3,4,4',6'-) (PCB 140) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19850 | Hexachlorobiphenyl (2,2',3,4,5,5'-) (PCB 141)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19900 | Hexachlorobiphenyl (2,2',3,4,5,6-) (PCB 142)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.19950 | Hexachlorobiphenyl (2,2',3,4,5,6'-) (PCB 143)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20000 | Hexachlorobiphenyl (2,2',3,4,5',6-) (PCB 144)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20050 | Hexachlorobiphenyl (2,2',3,4,6,6'-) (PCB 145)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20100 | Hexachlorobiphenyl (2,2',3,4',5,5'-) (PCB 146) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20150 | Hexachlorobiphenyl (2,2',3,4',5,6-) (PCB 147)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20200 | Hexachlorobiphenyl (2,2',3,4',5,6'-) (PCB 148) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20250 | Hexachlorobiphenyl (2,2',3,4',5',6-) (PCB 149) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20300 | Hexachlorobiphenyl (2,2',3,4',6,6'-) (PCB 150) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20350 | Hexachlorobiphenyl (2,2',3,5,5',6-) (PCB 151)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20400 | Hexachlorobiphenyl (2,2',3,5,6,6'-) (PCB 152)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20450 | Hexachlorobiphenyl (2,2',4,4',5,5'-) (PCB 153) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20500 | Hexachlorobiphenyl (2,2',4,4',5,6'-) (PCB 154) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20550 | Hexachlorobiphenyl (2,2',4,4',6,6'-) (PCB 155) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20600 | Hexachlorobiphenyl (2,3,3',4,4',5-) (PCB 156)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC   Laboratory Number: CA003   Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762**

**Category: NPW11--Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                         | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|---------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.20650 | Hexachlorobiphenyl (2,3,3',4,4',5'-) (PCB 157)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20700 | Hexachlorobiphenyl (2,3,3',4,4',6-) (PCB 158)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20750 | Hexachlorobiphenyl (2,3,3',4,5,5'-) (PCB 159)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20800 | Hexachlorobiphenyl (2,3,3',4,5,6-) (PCB 160)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20850 | Hexachlorobiphenyl (2,3,3',4,5',6-) (PCB 161)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20900 | Hexachlorobiphenyl (2,3,3',4',5,5'-) (PCB 162)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.20950 | Hexachlorobiphenyl (2,3,3',4',5,6-) (PCB 163)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21000 | Hexachlorobiphenyl (2,3,3',4',5',6-) (PCB 164)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21050 | Hexachlorobiphenyl (2,3,3',5,5',6-) (PCB 165)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21100 | Hexachlorobiphenyl (2,3,4,4',5,6-) (PCB 166)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21150 | Hexachlorobiphenyl (2,3',4,4',5,5'-) (PCB 167)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21200 | Hexachlorobiphenyl (2,3',4,4',5',6-) (PCB 168)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21250 | Hexachlorobiphenyl (3,3',4,4',5,5'-) (PCB 169)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21300 | Heptachlorobiphenyl (2,2',3,3',4,4',5-) (PCB 170) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21350 | Heptachlorobiphenyl (2,2',3,3',4,4',6-) (PCB 171) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21400 | Heptachlorobiphenyl (2,2',3,3',4,5,5'-) (PCB 172) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21450 | Heptachlorobiphenyl (2,2',3,3',4,5,6-) (PCB 173)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                          | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.21500 | Heptachlorobiphenyl (2,2',3,3',4,5,6'-) (PCB 174)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21550 | Heptachlorobiphenyl (2,2',3,3',4,5',6-) (PCB 175)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21600 | Heptachlorobiphenyl (2,2',3,3',4,6,6'-) (PCB 176)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21650 | Heptachlorobiphenyl (2,2',3,3',4,5',6'-) (PCB 177) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21700 | Heptachlorobiphenyl (2,2',3,3',5,5',6-) (PCB 178)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21750 | Heptachlorobiphenyl (2,2',3,3',5,6,6'-) (PCB 179)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21800 | Heptachlorobiphenyl (2,2',3,4,4',5,5'-) (PCB 180)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21850 | Heptachlorobiphenyl (2,2',3,4,4',5,6-) (PCB 181)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21900 | Heptachlorobiphenyl (2,2',3,4,4',5,6'-) (PCB 182)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.21950 | Heptachlorobiphenyl (2,2',3,4,4',5',6-) (PCB 183)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22000 | Heptachlorobiphenyl (2,2',3,4,4',6,6'-) (PCB 184)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22050 | Heptachlorobiphenyl (2,2',3,4,5,5',6-) (PCB 185)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22100 | Heptachlorobiphenyl (2,2',3,4,5,6,6'-) (PCB 186)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22150 | Heptachlorobiphenyl (2,2',3,4',5,5',6-) (PCB 187)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22200 | Heptachlorobiphenyl (2,2',3,4',5,6,6'-) (PCB 188)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22250 | Heptachlorobiphenyl (2,3,3',4,4',5,5'-) (PCB 189)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22300 | Heptachlorobiphenyl (2,3,3',4,4',5,6-) (PCB 190)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name:** ENTHALPY ANALYTICAL LLC    **Laboratory Number:** CA003    **Activity ID:** NLC 240001  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category:** NPW11--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                                | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.22350 | Heptachlorobiphenyl (2,3,3',4,4',5',6-)<br>(PCB 191)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22400 | Heptachlorobiphenyl (2,3,3',4,5,5',6-)<br>(PCB 192)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22450 | Heptachlorobiphenyl (2,3,3',4',5,5',6-)<br>(PCB 193)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22500 | Octachlorobiphenyl (2,2',3,3',4,4',5,5'-)<br>(PCB 194)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22550 | Octachlorobiphenyl (2,2',3,3',4,4',5,6-)<br>(PCB 195)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22600 | Octachlorobiphenyl (2,2',3,3',4,4',5,6'-)<br>(PCB 196)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22650 | Octachlorobiphenyl (2,2',3,3',4,4',6,6'-)<br>(PCB 197)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22700 | Octachlorobiphenyl (2,2',3,3',4,5,5',6-)<br>(PCB 198)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22750 | Octachlorobiphenyl (2,2',3,3',4,5,5',6'-)<br>(PCB 199)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22800 | Octachlorobiphenyl (2,2',3,3',4,5,6,6'-)<br>(PCB 200)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22850 | Octachlorobiphenyl (2,2',3,3',4,5',6,6'-)<br>(PCB 201)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22900 | Octachlorobiphenyl (2,2',3,3',5,5',6,6'-)<br>(PCB 202)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.22950 | Octachlorobiphenyl (2,2',3,4,4',5,5',6-)<br>(PCB 203)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.23000 | Octachlorobiphenyl (2,2',3,4,4',5,6,6'-)<br>(PCB 204)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.23050 | Octachlorobiphenyl (2,3,3',4,4',5,5',6-)<br>(PCB 205)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.23100 | Nonachlorobiphenyl (2,2',3,3',4,4',5,5',6-)<br>(PCB 206) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.23150 | Nonachlorobiphenyl (2,2',3,3',4,4',5,6,6'-)<br>(PCB 207) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC **Laboratory Number:** CA003 **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category: NPW11--Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                             | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-------------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | NPW11.23200 | Nonachlorobiphenyl (2,2',3,3',4,5,5',6,6'-) (PCB 208) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | NPW11.23250 | Decachlorobiphenyl (PCB 209)                          | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**Category: NPW16--NPW - Lab Developed/Non-Std Methods**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                           | Technique                                           | Approved Methods                             | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|----------------------------------------------|---------------|
| Certified | Yes                        | NPW16.05000 | 11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05050 | 1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05100 | 1H, 1H, 2H, 2H-Perfluorohexanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05150 | 1H, 1H, 2H, 2H-Perfluorooctanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05200 | 4,8-dioxa-3H-perfluorononanoic acid                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05250 | 9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05300 | Hexafluoropropylene oxide dimer acid                | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05350 | Perfluorobutanesulfonic acid                        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05400 | Perfluorobutanoic acid                              | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05450 | Perfluorodecanoic acid                              | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05500 | Perfluorododecanoic acid                            | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05550 | Perfluorodecanesulfonic acid                        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC    Laboratory Number: CA003    Activity ID: NLC 240001**

**1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762**

**Category: NPW16--NPW - Lab Developed/Non-Std Methods**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                     | Technique                                           | Approved Methods                             | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------|-----------------------------------------------------|----------------------------------------------|---------------|
| Certified | Yes                        | NPW16.05600 | Perfluoroheptanoic acid                       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05650 | Perfluoroheptanesulfonic acid                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05700 | Perfluorohexanesulfonic acid                  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05750 | Perfluorohexanoic acid                        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05800 | Perfluorooctanesulfonic acid (PFOS)           | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05850 | Perfluorononanoic acid                        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05900 | Perfluorononanesulfonic acid                  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.05950 | Perfluorooctanoic acid (PFOA)                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06000 | Perfluorooctanesulfonamide                    | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06050 | Perfluoropentanoic acid                       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06100 | Perfluoropentanesulfonic acid                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06150 | Perfluoroundecanoic acid                      | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06200 | Perfluorotetradecanoic acid                   | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06250 | Perfluorotridecanoic acid                     | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06300 | N-ethylperfluorooctanesulfonamidoacetic acid  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | NPW16.06350 | N-methylperfluorooctanesulfonamidoacetic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC **Laboratory Number:** CA003 **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                            | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|--------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.01050 | Chlorobiphenyl (2-) (PCB 1)          | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01100 | Chlorobiphenyl (3-) (PCB 2)          | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01150 | Chlorobiphenyl (4-) (PCB 3)          | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01200 | Dichlorobiphenyl (2,2'-) (PCB 4)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01250 | Dichlorobiphenyl (2,3-) (PCB 5)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01300 | Dichlorobiphenyl (2,3'-) (PCB 6)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01350 | Dichlorobiphenyl (2,4-) (PCB 7)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01400 | Dichlorobiphenyl (2,4'-) (PCB 8)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01450 | Dichlorobiphenyl (2,5-) (PCB 9)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01500 | Dichlorobiphenyl (2,6-) (PCB 10)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01550 | Dichlorobiphenyl (3,3'-) (PCB 11)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01600 | Dichlorobiphenyl (3,4-) (PCB 12)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01650 | Dichlorobiphenyl (3,4'-) (PCB 13)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01700 | Dichlorobiphenyl (3,5-) (PCB 14)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01750 | Dichlorobiphenyl (4,4'-) (PCB 15)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01800 | Trichlorobiphenyl (2,2',3-) (PCB 16) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01850 | Trichlorobiphenyl (2,2',4-) (PCB 17) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01900 | Trichlorobiphenyl (2,2',5-) (PCB 18) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.01950 | Trichlorobiphenyl (2,2',6-) (PCB 19) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02000 | Trichlorobiphenyl (2,3,3'-) (PCB 20) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02050 | Trichlorobiphenyl (2,3,4-) (PCB 21)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02100 | Trichlorobiphenyl (2,3,4'-) (PCB 22) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02150 | Trichlorobiphenyl (2,3,5-) (PCB 23)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02200 | Trichlorobiphenyl (2,3,6-) (PCB 24)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02250 | Trichlorobiphenyl (2,3',4-) (PCB 25) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02300 | Trichlorobiphenyl (2,3',5-) (PCB 26) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02350 | Trichlorobiphenyl (2,3',6-) (PCB 27) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC   Laboratory Number: CA003   Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762**

**Category: SCM10--Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                 | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.02400 | Trichlorobiphenyl (2,4,4'-) (PCB 28)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02450 | Trichlorobiphenyl (2,4,5-) (PCB 29)       | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02500 | Trichlorobiphenyl (2,4,6-) (PCB 30)       | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02550 | Trichlorobiphenyl (2,4',5-) (PCB 31)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02600 | Trichlorobiphenyl (2,4',6-) (PCB 32)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02650 | Trichlorobiphenyl (2,3',4'-) (PCB 33)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02700 | Trichlorobiphenyl (2,3',5'-) (PCB 34)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02750 | Trichlorobiphenyl (3,3',4-) (PCB 35)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02800 | Trichlorobiphenyl (3,3',5-) (PCB 36)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02850 | Trichlorobiphenyl (3,4,4'-) (PCB 37)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02900 | Trichlorobiphenyl (3,4,5-) (PCB 38)       | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.02950 | Trichlorobiphenyl (3,4',5-) (PCB 39)      | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03000 | Tetrachlorobiphenyl (2,2',3,3'-) (PCB 40) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03050 | Tetrachlorobiphenyl (2,2',3,4-) (PCB 41)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03100 | Tetrachlorobiphenyl (2,2',3,4'-) (PCB 42) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03150 | Tetrachlorobiphenyl (2,2',3,5-) (PCB 43)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03200 | Tetrachlorobiphenyl (2,2',3,5'-) (PCB 44) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03250 | Tetrachlorobiphenyl (2,2',3,6-) (PCB 45)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03300 | Tetrachlorobiphenyl (2,2',3,6'-) (PCB 46) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03350 | Tetrachlorobiphenyl (2,2',4,4'-) (PCB 47) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03400 | Tetrachlorobiphenyl (2,2',4,5-) (PCB 48)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03450 | Tetrachlorobiphenyl (2,2',4,5'-) (PCB 49) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03500 | Tetrachlorobiphenyl (2,2',4,6-) (PCB 50)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03550 | Tetrachlorobiphenyl (2,2',4,6'-) (PCB 51) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03600 | Tetrachlorobiphenyl (2,2',5,5'-) (PCB 52) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03650 | Tetrachlorobiphenyl (2,2',5,6'-) (PCB 53) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03700 | Tetrachlorobiphenyl (2,2',6,6'-) (PCB 54) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                  | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|--------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.03750 | Tetrachlorobiphenyl (2,3,3',4-) (PCB 55)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03800 | Tetrachlorobiphenyl (2,3,3',4'-) (PCB 56)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03850 | Tetrachlorobiphenyl (2,3,3',5-) (PCB 57)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03900 | Tetrachlorobiphenyl (2,3,3',5'-) (PCB 58)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.03950 | Tetrachlorobiphenyl (2,3,3',6-) (PCB 59)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04000 | Tetrachlorobiphenyl (2,3,4,4'-) (PCB 60)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04050 | Tetrachlorobiphenyl (2,3,4,5-) (PCB 61)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04100 | Tetrachlorobiphenyl (2,3,4,6-) (PCB 62)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04150 | Tetrachlorobiphenyl (2,3,4',5-) (PCB 63)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04200 | Tetrachlorobiphenyl (2,3,4',6-) (PCB 64)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04250 | Tetrachlorobiphenyl (2,3,5,6-) (PCB 65)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04300 | Tetrachlorobiphenyl (2,3',4,4'-) (PCB 66)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04350 | Tetrachlorobiphenyl (2,3',4,5-) (PCB 67)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04400 | Tetrachlorobiphenyl (2,3',4,5'-) (PCB 68)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04450 | Tetrachlorobiphenyl (2,3',4,6-) (PCB 69)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04500 | Tetrachlorobiphenyl (2,3',4',5-) (PCB 70)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04550 | Tetrachlorobiphenyl (2,3',4',6-) (PCB 71)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04600 | Tetrachlorobiphenyl (2,3',5,5'-) (PCB 72)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04650 | Tetrachlorobiphenyl (2,3',5',6-) (PCB 73)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04700 | Tetrachlorobiphenyl (2,4,4',5-) (PCB 74)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04750 | Tetrachlorobiphenyl (2,4,4',6-) (PCB 75)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04800 | Tetrachlorobiphenyl (2,3',4',5'-) (PCB 76) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04850 | Tetrachlorobiphenyl (3,3',4,4'-) (PCB 77)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04900 | Tetrachlorobiphenyl (3,3',4,5-) (PCB 78)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.04950 | Tetrachlorobiphenyl (3,3',4,5'-) (PCB 79)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05000 | Tetrachlorobiphenyl (3,3',5,5'-) (PCB 80)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05050 | Tetrachlorobiphenyl (3,4,4',5-) (PCB 81)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name:** ENTHALPY ANALYTICAL LLC    **Laboratory Number:** CA003    **Activity ID:** NLC 240001  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                    | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.05100 | Pentachlorobiphenyl (2,2',3,3',4-) (PCB 82)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05150 | Pentachlorobiphenyl (2,2',3,3',5-) (PCB 83)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05200 | Pentachlorobiphenyl (2,2',3,3',6-) (PCB 84)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05250 | Pentachlorobiphenyl (2,2',3,4,4'-) (PCB 85)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05300 | Pentachlorobiphenyl (2,2',3,4,5-) (PCB 86)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05350 | Pentachlorobiphenyl (2,2',3,4,5'-) (PCB 87)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05400 | Pentachlorobiphenyl (2,2',3,4,6-) (PCB 88)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05450 | Pentachlorobiphenyl (2,2',3,4,6'-) (PCB 89)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05500 | Pentachlorobiphenyl (2,2',3,4',5-) (PCB 90)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05550 | Pentachlorobiphenyl (2,2',3,4',6-) (PCB 91)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05600 | Pentachlorobiphenyl (2,2',3,5,5'-) (PCB 92)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05650 | Pentachlorobiphenyl (2,2',3,5,6-) (PCB 93)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05700 | Pentachlorobiphenyl (2,2',3,5,6'-) (PCB 94)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05750 | Pentachlorobiphenyl (2,2',3,5',6-) (PCB 95)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05800 | Pentachlorobiphenyl (2,2',3,6,6'-) (PCB 96)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05850 | Pentachlorobiphenyl (2,2',3,4',5'-) (PCB 97) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05900 | Pentachlorobiphenyl (2,2',3,4',6'-) (PCB 98) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.05950 | Pentachlorobiphenyl (2,2',4,4',5-) (PCB 99)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                    | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.06000 | Pentachlorobiphenyl (2,2',4,4',6-) (PCB 100) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06050 | Pentachlorobiphenyl (2,2',4,5,5'-) (PCB 101) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06100 | Pentachlorobiphenyl (2,2',4,5,6'-) (PCB 102) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06150 | Pentachlorobiphenyl (2,2',4,5',6-) (PCB 103) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06200 | Pentachlorobiphenyl (2,2',4,6,6'-) (PCB 104) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06250 | Pentachlorobiphenyl (2,3,3',4,4'-) (PCB 105) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06300 | Pentachlorobiphenyl (2,3,3',4,5-) (PCB 106)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06350 | Pentachlorobiphenyl (2,3,3',4',5-) (PCB 107) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06400 | Pentachlorobiphenyl (2,3,3',4,5'-) (PCB 108) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06450 | Pentachlorobiphenyl (2,3,3',4,6-) (PCB 109)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06500 | Pentachlorobiphenyl (2,3,3',4',6-) (PCB 110) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06550 | Pentachlorobiphenyl (2,3,3',5,5'-) (PCB 111) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06600 | Pentachlorobiphenyl (2,3,3',5,6-) (PCB 112)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06650 | Pentachlorobiphenyl (2,3,3',5',6-) (PCB 113) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06700 | Pentachlorobiphenyl (2,3,4,4',5-) (PCB 114)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06750 | Pentachlorobiphenyl (2,3,4,4',6-) (PCB 115)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06800 | Pentachlorobiphenyl (2,3,4,5,6-) (PCB 116)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

**New Jersey Department of Environment Protection  
Environmental Laboratory Certification Program**



**Annual Certified Parameter List and Current Status**

**Effective as of 07/01/2024 until 6/30/2025**

**Laboratory Name: ENTHALPY ANALYTICAL LLC    Laboratory Number: CA003    Activity ID: NLC 240001**  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category: SCM10--Organic Parameters - Chromatography/MS**

| Status    | Eligible to Report NJ Data | Code        | Parameter                                      | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.06850 | Pentachlorobiphenyl (2,3,4',5,6-) (PCB 117)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06900 | Pentachlorobiphenyl (2,3',4,4',5-) (PCB 118)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.06950 | Pentachlorobiphenyl (2,3',4,4',6-) (PCB 119)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07000 | Pentachlorobiphenyl (2,3',4,5,5'-) (PCB 120)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07050 | Pentachlorobiphenyl (2,3',4,5',6-) (PCB 121)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07100 | Pentachlorobiphenyl (2,3,3',4',5'-) (PCB 122)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07150 | Pentachlorobiphenyl (2,3',4,4',5'-) (PCB 123)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07200 | Pentachlorobiphenyl (2,3',4',5,5'-) (PCB 124)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07250 | Pentachlorobiphenyl (2,3',4',5',6-) (PCB 125)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07300 | Pentachlorobiphenyl (3,3',4,4',5-) (PCB 126)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07350 | Pentachlorobiphenyl (3,3',4,5,5'-) (PCB 127)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07400 | Hexachlorobiphenyl (2,2',3,3',4,4'-) (PCB 128) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07450 | Hexachlorobiphenyl (2,2',3,3',4,5-) (PCB 129)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07500 | Hexachlorobiphenyl (2,2',3,3',4,5'-) (PCB 130) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07550 | Hexachlorobiphenyl (2,2',3,3',4,6-) (PCB 131)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07600 | Hexachlorobiphenyl (2,2',3,3',4,6'-) (PCB 132) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07650 | Hexachlorobiphenyl (2,2',3,3',5,5'-) (PCB 133) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                     | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.07700 | Hexachlorobiphenyl (2,2',3,3',5,6-) (PCB 134) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07750 | Hexachlorobiphenyl (2,2',3,3',5,6-) (PCB 135) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07800 | Hexachlorobiphenyl (2,2',3,3',6,6-) (PCB 136) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07850 | Hexachlorobiphenyl (2,2',3,4,4',5-) (PCB 137) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07900 | Hexachlorobiphenyl (2,2',3,4,4',5-) (PCB 138) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.07950 | Hexachlorobiphenyl (2,2',3,4,4',6-) (PCB 139) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08000 | Hexachlorobiphenyl (2,2',3,4,4',6-) (PCB 140) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08050 | Hexachlorobiphenyl (2,2',3,4,5,5-) (PCB 141)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08100 | Hexachlorobiphenyl (2,2',3,4,5,6-) (PCB 142)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08150 | Hexachlorobiphenyl (2,2',3,4,5,6-) (PCB 143)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08200 | Hexachlorobiphenyl (2,2',3,4,5,6-) (PCB 144)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08250 | Hexachlorobiphenyl (2,2',3,4,6,6-) (PCB 145)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08300 | Hexachlorobiphenyl (2,2',3,4',5,5-) (PCB 146) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08350 | Hexachlorobiphenyl (2,2',3,4',5,6-) (PCB 147) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08400 | Hexachlorobiphenyl (2,2',3,4',5,6-) (PCB 148) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08450 | Hexachlorobiphenyl (2,2',3,4',5,6-) (PCB 149) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08500 | Hexachlorobiphenyl (2,2',3,4',6,6-) (PCB 150) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC    **Laboratory Number:** CA003    **Activity ID:** NLC 240001  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                      | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.08550 | Hexachlorobiphenyl (2,2',3,5,5',6-) (PCB 151)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08600 | Hexachlorobiphenyl (2,2',3,5,6,6'-) (PCB 152)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08650 | Hexachlorobiphenyl (2,2',4,4',5,5'-) (PCB 153) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08700 | Hexachlorobiphenyl (2,2',4,4',5,6'-) (PCB 154) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08750 | Hexachlorobiphenyl (2,2',4,4',6,6'-) (PCB 155) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08800 | Hexachlorobiphenyl (2,3,3',4,4',5-) (PCB 156)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08850 | Hexachlorobiphenyl (2,3,3',4,4',5'-) (PCB 157) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08900 | Hexachlorobiphenyl (2,3,3',4,4',6-) (PCB 158)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.08950 | Hexachlorobiphenyl (2,3,3',4,5,5'-) (PCB 159)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09000 | Hexachlorobiphenyl (2,3,3',4,5,6-) (PCB 160)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09050 | Hexachlorobiphenyl (2,3,3',4,5',6-) (PCB 161)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09100 | Hexachlorobiphenyl (2,3,3',4',5,5'-) (PCB 162) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09150 | Hexachlorobiphenyl (2,3,3',4',5,6-) (PCB 163)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09200 | Hexachlorobiphenyl (2,3,3',4',5',6-) (PCB 164) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09250 | Hexachlorobiphenyl (2,3,3',5,5',6-) (PCB 165)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09300 | Hexachlorobiphenyl (2,3,4,4',5,6-) (PCB 166)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09350 | Hexachlorobiphenyl (2,3',4,4',5,5'-) (PCB 167) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                          | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|----------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.09400 | Hexachlorobiphenyl (2,3',4,4',5',6-) (PCB 168)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09450 | Hexachlorobiphenyl (3,3',4,4',5,5'-) (PCB 169)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09500 | Heptachlorobiphenyl (2,2',3,3',4,4',5-) (PCB 170)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09550 | Heptachlorobiphenyl (2,2',3,3',4,4',6-) (PCB 171)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09600 | Heptachlorobiphenyl (2,2',3,3',4,5,5'-) (PCB 172)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09650 | Heptachlorobiphenyl (2,2',3,3',4,5,6-) (PCB 173)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09700 | Heptachlorobiphenyl (2,2',3,3',4,5,6'-) (PCB 174)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09750 | Heptachlorobiphenyl (2,2',3,3',4,5',6-) (PCB 175)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09800 | Heptachlorobiphenyl (2,2',3,3',4,6,6'-) (PCB 176)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09850 | Heptachlorobiphenyl (2,2',3,3',4,5',6'-) (PCB 177) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09900 | Heptachlorobiphenyl (2,2',3,3',5,5',6-) (PCB 178)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.09950 | Heptachlorobiphenyl (2,2',3,3',5,6,6'-) (PCB 179)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10000 | Heptachlorobiphenyl (2,2',3,4,4',5,5'-) (PCB 180)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10050 | Heptachlorobiphenyl (2,2',3,4,4',5,6-) (PCB 181)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10100 | Heptachlorobiphenyl (2,2',3,4,4',5,6'-) (PCB 182)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10150 | Heptachlorobiphenyl (2,2',3,4,4',5',6-) (PCB 183)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10200 | Heptachlorobiphenyl (2,2',3,4,4',6,6'-) (PCB 184)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |





## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
**1104 WINDFIELD WAY**  
**EL DORADO HILLS CA 95762**

**Category:** SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                           | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.10250 | Heptachlorobiphenyl (2,2',3,4,5,5',6-) (PCB 185)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10300 | Heptachlorobiphenyl (2,2',3,4,5,6,6-) (PCB 186)     | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10350 | Heptachlorobiphenyl (2,2',3,4',5,5',6-) (PCB 187)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10400 | Heptachlorobiphenyl (2,2',3,4',5,6,6-) (PCB 188)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10450 | Heptachlorobiphenyl (2,3,3',4,4',5,5'-) (PCB 189)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10500 | Heptachlorobiphenyl (2,3,3',4,4',5,6-) (PCB 190)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10550 | Heptachlorobiphenyl (2,3,3',4,4',5',6-) (PCB 191)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10600 | Heptachlorobiphenyl (2,3,3',4,5,5',6-) (PCB 192)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10650 | Heptachlorobiphenyl (2,3,3',4',5,5',6-) (PCB 193)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10700 | Octachlorobiphenyl (2,2',3,3',4,4',5,5'-) (PCB 194) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10750 | Octachlorobiphenyl (2,2',3,3',4,4',5,6-) (PCB 195)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10800 | Octachlorobiphenyl (2,2',3,3',4,4',5,6'-) (PCB 196) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10850 | Octachlorobiphenyl (2,2',3,3',4,4',6,6'-) (PCB 197) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10900 | Octachlorobiphenyl (2,2',3,3',4,5,5',6-) (PCB 198)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.10950 | Octachlorobiphenyl (2,2',3,3',4,5,5',6'-) (PCB 199) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11000 | Octachlorobiphenyl (2,2',3,3',4,5,6,6'-) (PCB 200)  | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11050 | Octachlorobiphenyl (2,2',3,3',4,5',6,6'-) (PCB 201) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

### Category: SCM10--Organic Parameters - Chromatography/MS

| Status    | Eligible to Report NJ Data | Code        | Parameter                                             | Technique              | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-------------------------------------------------------|------------------------|------------------|---------------|
| Certified | Yes                        | SCM10.11100 | Octachlorobiphenyl (2,2',3,3',5,5',6,6'-) (PCB 202)   | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11150 | Octachlorobiphenyl (2,2',3,4,4',5,5',6-) (PCB 203)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11200 | Octachlorobiphenyl (2,2',3,4,4',5,6,6'-) (PCB 204)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11250 | Octachlorobiphenyl (2,3,3',4,4',5,5',6-) (PCB 205)    | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11300 | Nonachlorobiphenyl (2,2',3,3',4,4',5,5',6-) (PCB 206) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11350 | Nonachlorobiphenyl (2,2',3,3',4,4',5,6,6'-) (PCB 207) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11400 | Nonachlorobiphenyl (2,2',3,3',4,5,5',6,6'-) (PCB 208) | Extraction, SIM, GC/MS | EPA 1668A        | OR            |
| Certified | Yes                        | SCM10.11450 | Decachlorobiphenyl (PCB 209)                          | Extraction, SIM, GC/MS | EPA 1668A        | OR            |

### Category: SCM11--PCDD / PCDF

| Status    | Eligible to Report NJ Data | Code        | Parameter              | Technique                             | Approved Methods | Primary State |
|-----------|----------------------------|-------------|------------------------|---------------------------------------|------------------|---------------|
| Certified | Yes                        | SCM11.00001 | HpCDD (1,2,3,4,6,7,8-) | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00050 | HpCDF (1,2,3,4,6,7,8-) | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00100 | HpCDF (1,2,3,4,7,8,9-) | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00150 | HxCDD (1,2,3,4,7,8-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00200 | HxCDD (1,2,3,6,7,8-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00250 | HxCDD (1,2,3,7,8,9-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00300 | HxCDF (1,2,3,4,7,8-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00350 | HxCDF (1,2,3,6,7,8-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00400 | HxCDF (1,2,3,7,8,9-)   | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: SCM11--PCDD / PCDF

| Status    | Eligible to Report NJ Data | Code        | Parameter               | Technique                             | Approved Methods | Primary State |
|-----------|----------------------------|-------------|-------------------------|---------------------------------------|------------------|---------------|
| Certified | Yes                        | SCM11.00450 | HxCDF (2,3,4,6,7,8-)    | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00500 | OCDD (1,2,3,4,6,7,8,9-) | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00550 | OCDF (1,2,3,4,6,7,8,9-) | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00600 | PeCDD (1,2,3,7,8-)      | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00650 | PeCDF (1,2,3,7,8-)      | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00700 | PeCDF (2,3,4,7,8-)      | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00750 | TCDD (2,3,7,8-)         | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |
| Certified | Yes                        | SCM11.00800 | TCDF (2,3,7,8-)         | GC/Hi-Res MS, Selected Ion Monitoring | SW-846 8290A     | OR            |

Category: SCM14--SCM - Lab Developed/Non-Std Methods

| Status    | Eligible to Report NJ Data | Code        | Parameter                    | Technique                                           | Approved Methods                             | Primary State |
|-----------|----------------------------|-------------|------------------------------|-----------------------------------------------------|----------------------------------------------|---------------|
| Certified | Yes                        | SCM14.02650 | Perfluorobutanesulfonic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02700 | Perfluorobutanoic acid       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02750 | Perfluorodecanoic acid       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02800 | Perfluorododecanoic acid     | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02850 | Perfluoroheptanoic acid      | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02900 | Perfluorohexanesulfonic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.02950 | Perfluorohexanoic acid       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03000 | Perfluorononanoic acid       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

**Laboratory Name:** ENTHALPY ANALYTICAL LLC   **Laboratory Number:** CA003   **Activity ID:** NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

**Category:** SCM14--SCM - Lab Developed/Non-Std Methods

| Status    | Eligible to Report NJ Data | Code        | Parameter                                           | Technique                                           | Approved Methods                             | Primary State |
|-----------|----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|----------------------------------------------|---------------|
| Certified | Yes                        | SCM14.03050 | Perfluorooctanesulfonic acid (PFOS)                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03100 | Perfluorooctanoic acid (PFOA)                       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03150 | Perfluoropentanoic acid                             | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03200 | Perfluorotetradecanoic acid                         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03250 | Perfluorotridecanoic acid                           | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03300 | Perfluoroundecanoic acid                            | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03350 | 11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03400 | 1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03450 | 1H, 1H, 2H, 2H-Perfluorohexanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03500 | 1H, 1H, 2H, 2H-Perfluorooctanesulfonic acid         | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03550 | 4,8-dioxa-3H-perfluorononanoic acid                 | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03600 | 9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03650 | Hexafluoropropylene oxide dimer acid                | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03700 | N-ethylperfluorooctanesulfonamidoacetic acid        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03750 | N-methylperfluorooctanesulfonamidoacetic acid       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03800 | Perfluorodecanesulfonic acid                        | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03850 | Perfluoropentanesulfonic acid                       | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |



## Annual Certified Parameter List and Current Status

Effective as of 07/01/2024 until 6/30/2025

Laboratory Name: ENTHALPY ANALYTICAL LLC Laboratory Number: CA003 Activity ID: NLC 240001  
1104 WINDFIELD WAY  
EL DORADO HILLS CA 95762

Category: SCM14--SCM - Lab Developed/Non-Std Methods

| Status    | Eligible to Report NJ Data | Code        | Parameter                     | Technique                                           | Approved Methods                             | Primary State |
|-----------|----------------------------|-------------|-------------------------------|-----------------------------------------------------|----------------------------------------------|---------------|
| Certified | Yes                        | SCM14.03900 | Perfluoroheptanesulfonic acid | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.03950 | Perfluorononanesulfonic acid  | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |
| Certified | Yes                        | SCM14.04000 | Perfluorooctanesulfonamide    | LC MS/MS, Electrospray Ionization, Isotope Dilution | User Defined VAL SOP 49 Rev 24, Eff 12/14/20 | OR            |

  
Michele M. Potter, Manager